UNISLIDE®

56 Manual Models,
12 Motorized Models

LINEAR SLIDES

for Instruments & Machines



Apply manual or motor driven precision UniSlides as complete translation units in your instrument or machine to linearly advance tool, work piece, optics, transducer or product. UniSlides are compact, non-magnetic, non-corrosive, moderately priced.

UNISLIDE ASSEMBLIES
Basic Dovetail Units. Lead Screw Models. Micrometer Screw Models. Rapid Advance with Lock and Fine Screw Motion. Adapter Plates for Combining UniSlides into 2 and 3 Coordinate Traversing mechanisms. English or Metric Scales, Drive Screws and Verniers. Turntables.

UNISLIDE CONSTRUCTION:
2024-T4 Aluminum Dovetail Base, Aluminum sliding element with laminated Nylatron GS bearings, Precision machined and lapped dovetail ways. Cross section: A 1500 Series—1½" x ½". A 2500 Series—2½" x ¾", A 4000 Series —4" x 1". Length: Manual units to 30". Engineering data and prices in Catalog G-75 upon request.



MOTORIZED UNISLIDES FOR SCANNING & POSITIONING
UniSlide assemblies equipped with AC induction or DC shunt wound motors, gear motors, speed controls, automatic reversing circuits, steppers, translators, indexers. Motorized UniSlide construction similar to above, in 2 series. Cross section: B 2500 Series—2½" x 1⅝", B 4000 Series—4" x 2⅝". Lengths to 48". Engineering data and prices in Catalog M-74 upon request.

VELMEX, INC.
P.O. BOX 38
E. BLOOMFIELD, NY 14443
Telephone 315/657-6151

Circle 10 on Reader-Service Card

Index for 1975

The following is a list of articles and other editorial presentations published in *Electronic Packaging and Production* in 1975. Listing is by title under the category considered as the main theme of each article. The author index at the end of this section indicates the month in which the author's feature appeared. Reprints are not available for general distribution.

Buyer's Guides to Manufacturers and Suppliers

Connector/Interconnection Product Suppliers, April-Part II, p. 42.
Vendor Selection Issue, July
Test Equipment and Testing Services Directory, Aug., p. T34.
Thin-film, Vacuum Equipment and Supplies Directory, Oct., p. V22.
Microelectronic Buyer's Guide, Nov., p. 105.
Printed Circuit Buyer's Guide, Dec., p. 73.

Chemicals and Materials

"In the Wake of the Organic Chemical Shortage: A Survey of the Challenges Met," by R. Bronis, Feb., p. 43.
"Primer on UV Curing," by H. W. Markstein, June, p. 39.
"UV-Curable Resin as a Protective Cover Coat," by G. B. Fefferman, June, p. 29.
"Injection-molded Plastics for Electronics," by B. Diggins, July, p. 63.
"The Proper Use of Tin and Tin Alloys," by P. E. Davis and E. F. Duffek, July, p. 86.
"Precious Metal Plating Solutions," by R. Duva, July, p. 82.
"Cavitation Properties of Solvents Used for Ultrasonic Cleaning," by J. B. Halbert, July, p. 84.
"Precious Metal Reclamation in the Electronics Industry," by E. A. Payne, July, p. 124.
"Cleaning Procedures and Solvents for Semiconductors and PC Boards," by R. A. Geckle, July, p. 127.
"Copper Electroplating Systems: An Evaluation," by B. F. Rothschild, Aug., p. 102.

Conferences and Exhibitions

NEPCON '75 West Product Preview, Jan., p. 128.
SEMICON/West '75 Product Preview, April-Part I, p. 48.



MAKE IT WITH

thinsheet

WHEN METAL QUALITY IS VITAL

Thinsheet is a name that you can trust when quality and uniformity of thin gauge strip are critical to the reliability factors of your components, printed circuits and conductors. Our thin gauge strip is the finest available. We supply copper, brass, bronze, phosphor bronze, nickel, nickel alloys, nickel silver, CDA 194, stainless steels, and tin coated metals in gauges from .020" to .0005", with tolerances of ±.0001" and widths 1/16" to 26". We also supply tin coated metals processed exclusively on equipment of our own design. In many areas fast deliveries are made with our own fleet of trailer trucks.
Phone (203) 756-7414. (In Newark, N.J. area, phone direct 642-1624.) The Thinsheet Metals Company, Waterbury, Connecticut 06720.

UNISLIDE®

56 Manual Models,
12 Motorized Models

LINEAR SLIDES

for Instruments & Machines



Apply manual or motor driven precision UniSlides as complete translation units in your instrument or machine to linearly advance tool, work piece, optics, transducer or product. UniSlides are compact, non-magnetic, non-corrosive, moderately priced.

UNISLIDE ASSEMBLIES
Basic Dovetail Units. Lead Screw Models. Micrometer Screw Models. Rapid Advance with Lock and Fine Screw Motion. Adapter Plates for Combining UniSlides into 2 and 3 Coordinate Traversing mechanisms. English or Metric Scales, Drive Screws and Verniers. Turntables.

UNISLIDE CONSTRUCTION:
2024-T4 Aluminum Dovetail Base, Aluminum sliding element with laminated Nylatron GS bearings, Precision machined and lapped dovetail ways. Cross section: A 1500 Series—1½" x ½". A 2500 Series—2½" x ¾", A 4000 Series —4" x 1". Length: Manual units to 30". Engineering data and prices in Catalog G-75 upon request.



MOTORIZED UNISLIDES FOR SCANNING & POSITIONING
UniSlide assemblies equipped with AC induction or DC shunt wound motors, gear motors, speed controls, automatic reversing circuits, steppers, translators, indexers. Motorized UniSlide construction similar to above, in 2 series. Cross section: B 2500 Series—2½" x 1⅝", B 4000 Series—4" x 2⅝". Lengths to 48". Engineering data and prices in Catalog M-74 upon request.

VELMEX, INC.
P.O. BOX 38
E. BLOOMFIELD, NY 14443
Telephone 315/657-6151

Circle 10 on Reader-Service Card

Index for 1975

The following is a list of articles and other editorial presentations published in *Electronic Packaging and Production* in 1975. Listing is by title under the category considered as the main theme of each article. The author index at the end of this section indicates the month in which the author's feature appeared. Reprints are not available for general distribution.

Buyer's Guides to Manufacturers and Suppliers

Connector/Interconnection Product Suppliers, April-Part II, p. 42.
Vendor Selection Issue, July
Test Equipment and Testing Services Directory, Aug., p. T34.
Thin-film, Vacuum Equipment and Supplies Directory, Oct., p. V22.
Microelectronic Buyer's Guide, Nov., p. 105.
Printed Circuit Buyer's Guide, Dec., p. 73.

Chemicals and Materials

"In the Wake of the Organic Chemical Shortage: A Survey of the Challenges Met," by R. Bronis, Feb., p. 43.
"Primer on UV Curing," by H. W. Markstein, June, p. 39.
"UV-Curable Resin as a Protective Cover Coat," by G. B. Fefferman, June, p. 29.
"Injection-molded Plastics for Electronics," by B. Diggins, July, p. 63.
"The Proper Use of Tin and Tin Alloys," by P. E. Davis and E. F. Duffek, July, p. 86.
"Precious Metal Plating Solutions," by R. Duva, July, p. 82.
"Cavitation Properties of Solvents Used for Ultrasonic Cleaning," by J. B. Halbert, July, p. 84.
"Precious Metal Reclamation in the Electronics Industry," by E. A. Payne, July, p. 124.
"Cleaning Procedures and Solvents for Semiconductors and PC Boards," by R. A. Geckle, July, p. 127.
"Copper Electroplating Systems: An Evaluation," by B. F. Rothschild, Aug., p. 102.

Conferences and Exhibitions

NEPCON '75 West Product Preview, Jan., p. 128.
SEMICON/West '75 Product Preview, April-Part I, p. 48.



MAKE IT WITH

thinsheet

WHEN METAL QUALITY IS VITAL

Thinsheet is a name that you can trust when quality and uniformity of thin gauge strip are critical to the reliability factors of your components, printed circuits and conductors. Our thin gauge strip is the finest available. We supply copper, brass, bronze, phosphor bronze, nickel, nickel alloys, nickel silver, CDA 194, stainless steels, and tin coated metals in gauges from .020" to .0005", with tolerances of ±.0001" and widths 1/16" to 26". We also supply tin coated metals processed exclusively on equipment of our own design. In many areas fast deliveries are made with our own fleet of trailer trucks.
Phone (203) 756-7414. (In Newark, N.J. area, phone direct 642-1624.) The Thinsheet Metals Company, Waterbury, Connecticut 06720.

SERVICING NO. CALIF and GREATER NORTHWEST

KAHN AREA CALCULATOR
DUST-FREE ACTIVATED CARBON
H-CLAMPS ; PLATING RACKS
ROLL-TINNER ; HYDROSQUEEGEE
ENGELHARD PRECIOUS METALS
MYRON L RINSE CONTROLS
DRILL—PINNING MACHINE
PULSCO PULSE PLATING
BOARD WASHING MACHINES
TAPING MACHINE
LEADTRIMMER
SERFILCO parts & units in stock
USED EQUIPMENT
etc, etc.

BUSCO

BUCK SALES COMPANY

Formerly Buck Supply & Sales Co.

Post Office Box 445 Newark, CA. 94560 (415) 651-4411
45301 Industrial Place Fremont, CA. 94538

Circle 149 on Reader-Service Card

There's only one UNITRACK®
but there's a type for every application.

CARD GUIDES

*PLASTIC: (tough, stable polycarbonate) for mounting in cages or racks . . . snap in buttons or holes for rivets. 9 sizes from 2-1/4 to 6-7/8".

*METAL: SERIES 1000 (stainless steel, phosphor bronze, beryllium copper) for grounding or heat dissipation for 1/16" or 1/8" boards . . . length up to 36".

*PLASTIC/METAL: SERIES 4700. Plastic segments locked into metal bar. For 1/16" or 1/8" thick "big" boards (up to 6 feet long). Slotted guides (plastic): Sizes from 2" to 10". Snap in buttons for mounting.

*All UNITRACK card guides which have the patented spring finger design provide positive card holding with vibration and shock dampening.

IN STOCK for immediate shipment from the factory or your local distributor.

Patent No. 3231785 Canadian Pat. No. 766819 Foreign Pats. Pending.

UNITRACK®

UNITRACK Div., Calabro Plastics, Inc.
8738 West Chester Pike, Upper Darby, Pa. 19082
Telephone (215) 789-3820

Circle 143 on Reader-Service Card



STORY OF SYSTEMS APPROACH TO AUTOMATED WIRING ANALYSIS

If you make electrical and electronic equipment that involves large volume complex wired circuits, you'll want to send for this important book, which describes:

FACT® (Flexible Automatic Circuit Tester)—the ultimate analyzer for large volume wiring verification.

FACT-AID (Automatic Interconnection Device)—unique method for rapid electrical hookup of multilayer boards and backplanes under fully automatic control.

FACT-LIFT (Low Insertion Force Technique)—achieves multipin electrical contact to quickly and positively hook up thousands of backplane contacts in seconds.

FACT-QUIC (Quick Universal Interface Connector)—provides rapid interconnection to FACT switching modules.

FACT SPRING PROBE ADAPTERS Fixtures which feature Quick-Interchangeable Test Heads with contact densities of up to 400 probes per square inch.

FACT, and FACT Interconnection Devices, offer the most efficient and economical solution to large volume, exacting test requirements. "The FACT System" will tell you all about it.

Write or call: Mr. L. W. Risner, FACT Systems, Hughes Aircraft Company, P. O. Box 92904, Los Angeles, CA 90009. (213) 670-9040.

HUGHES
HUGHES AIRCRAFT COMPANY
INDUSTRIAL PRODUCTS DIVISION
FACT SYSTEMS

Circle 50 on Reader-Service Card

double-duty desiccant



Natrasorb® 900 can replace mechanical parts and serve as a desiccant simultaneously...ideal for cramped spaces like electronic assemblies and refrigeration systems. Furnished either as shaped parts or machinable blanks, Natrasorb® 900 has physical properties similar to thermoset plastics. Dries atmospheres to -100° F dew-point and can be reactivated. Request data.

Try us. We dry harder.

MULTIFORM DESICCANT PRODUCTS INC.

1418 Niagara Street, Buffalo, N.Y. 14213
(716) 881-0100

Circle 57 on Reader-Service Card

ANNOUNCING

The new CAVIDERM System for faster, more accurate testing of circuit board thru-holes

CDP-5 conical contacts

The Caviderm system allows you to detect hidden cracks and insufficient plating in the through-holes of circuit boards . . .even through solder and gold.

Ideal for nondestructive inspection of circuit boards, the equipment requires no special skills and makes its measurement in one second.

Now, we've made CAVIDERM even better with a new probe system that features self-centering conical probe contacts to eliminate the effects of pad size and make it easier for the operator to use.

UPA **Unit Process Assemblies Inc.**
60 Oak Drive • Syosset, New York 11791 • (516) 364-1080 • Telex: 14-3115

Circle 87 on Reader-Service Card

dricap... keeps packaged products dry

Inexpensive dryness insurance from Multiform. Rugged, com.:act cartridges as small as ½" that draw moisture in...and keep it. Ideal for pharmaceuticals, electronic equipment, optical instruments. Concentrated, controlled-rate drying power with reserve capacity indicated by blue-to-pink color gradation. Request data.

Try us. We dry harder.

MULTIFORM DESICCANT PRODUCTS INC.

1418 Niagara Street, Buffalo, N.Y. 14213
(716) 881-0100

Circle 58 on Reader-Service Card

cut square wire pin costs up to 40%

Standard or Custom



Cut costs on Square Wire-Wrap® Pins up to 40% with multi-swaged parts. Bead square pins are top quality too. Straight to .003" and burr free to hold production problems to a minimum. They may be inserted automatically using hopper feed. Our conical ends are the finest in the industry for insertion in preplated holes. Engineering and design assistance is available. Phone today or send your prints for a quotation.

bead **bead electronics**

A Division of Bead Chain Mfg. Co.
P.O. Box K, Bridgeport, CT 06605
Phone: (203) 334-4124

Circle 140 on Reader-Service Card

NEPCON '75 East & Intl. Microelectronics Exhibition Product Preview, May, p. 124.
NEPCON '75 Central Exhibitors, Sept., p. 48.

Connectors/ Interconnection

"Designing a Hybrid Metal/ PC Connector Panel," by T. J. Presley, Jan., p. 74.
"A Review of the Trends in Display Connectors," by R. Bronis, Mar., p. 60.
"Interconnection Update," by H. W. Markstein, Oct., p. 29.

Microelectronics

"Laser Scribing and Drilling of Ceramic Substrates," by R. Belland, Jan., p. 56.
"Laser Trimming on the Chip," by S. Harris and D. Wagner, Feb., p. 50.
"Ion Implantation: Higher Beam Currents for Higher Throughput," by G. Ryding, Mar., p. 67.
"Trends in Automated Wafer Processing," by H. W. Markstein, April-Part I, p. 23.
"Vacuum Deposition Equipment: A Survey," by H. W. Markstein, May, p. 48.
"Ion Plating Using a Pure Ion Source: An Answer Looking for Problems," by G. J. Hale, G. W. White and D. E. Meyer, May, p. 39.
"Production Plating of Thin-film Circuits," by W. W. Pcihoda and A. E. Walker, Jr., June, p. 74.
"Processes for MOS IC's," by R. Wakefield, July, p. 169.
"Ion Implantation Offers Flexibility to the IC Designer," by K. E. Manchester, July, p. 156.
"Equipment Considerations for Chemical Vapor Deposition," by M. L. Hammond, July, p. 139.
"Silicon Wafer Reclamation: A Processing Service," by J. E. Lawrence, July, p. 123.
"Dry Plasma Photoresist Stripping Machines," by R. Bersin, July, p. 153.
"Photomasking Services Face Demand for Still Higher Quality, Lower Prices," by R. Iscoff, Aug., p. 109.
"New Directions in Thick-film Materials," by H. W. Markstein, Sept., p. 29.
"Thick-film Processing Considerations," by W. Vitriol and W. Counts, Sept., p. 37.
"Substrates and Metallization Systems for Thin-film Hybrids," by W. Class, Oct., p. V15.
"Sputtering Techniques and Applications," by A. K. Sinha, Oct., p. V10.
"Vacuum Evaporation Techniques/ Data," by R. F. Bunshah, Oct., p. V3.
"Trends in Automated Wire Bonding," by H. W. Markstein, Nov., p. 39.
"Photoresist Application Techniques in Semiconductor Processing," by R. Iscoff, Nov., p. 27.
"Pattern Generators for IC Maskmaking," by D. O. Fisher, Nov., p. G12.
"Multichip Assemblies: A Cost Comparison," by J. M. Salzer, Dec., p. 61.

ELECTRONIC PLASTICS CO.

THE LEADER IN THE DEVELOPMENT OF POLYIMIDE PRINTED CIRCUITS



SPECIALIZING IN 500°F. BRIGHT NICHEL PLATED POLYIMIDE BOARDS

- Reusable burn-in boards.
- High temperature "down-hole" oil well applications.
- Multilayers up to six layers.

Complete in-house capability means "quick turnaround" service. Whether your requirements are for Polyimide or Epoxy Circuit Boards look to Electronic Plastics Co. for the finest quality at competitive prices.

Since 1954

ELECTRONIC PLASTICS COMPANY
20235 NORDHOFF STREET
CHATSWORTH, CALIF. 91311
(213) 882-1700

Circle 119 on Reader-Service Card

Thick Film Tips FROM CERMALLOY®

COPPER IS PROPER

Proper, because our copper conductor paste has many of the same characteristics as other precious metal conductor pastes—at far lower cost! In many cases you can replace your present conductor with copper and get equal or better performance.

With such features as direct solderability without leaching, low loss and excellent frequency characteristics, it's no wonder this conductor is being used for so many different high volume commercial applications. Among them are microwave circuits, and circuits for keyboard address systems, computers and automotive electronic systems.

Incidentally, we're the only thick film supplier with a complete non-precious metal paste system. In addition to our fritless copper, there's a wide selection of compatible resistors and dielectrics. All pastes fire in nitrogen atmospheres, and all are available off the shelf. If you agree that saving big money without sacrificing performance is a proper thing to do, the next thing to do is to get in touch with us for more information or applications assistance.

CERMALLOY®

Cermet Division of Bala Electronics Corp.
Union Hill Industrial Park
West Conshohocken, PA 19428
(215) 825-6050

TO RECEIVE THICK FILM TIPS, a free periodic newsletter from CERMALLOY that answers general questions about processing and production, drop us a note on your letterhead and we'll add your name to our mailing list.

Circle 99 on Reader-Service Card

FREE 68 Page Terminal Catalog

New fully illustrated catalog describes expanded line of insulated and non-insulated solderless terminals, connectors and splices. Sizes from 26 AWG through 250 MCM. Loose piece and on-tape. Rings, spades, hooks, butts, parallels, quick disconnects, tabs and specialty items. Also includes new funnel entry terminals and fully pre-insulated quick disconnects.

In Stock For Immediate Delivery.

HOLLINGSWORTH®

Circle 4 on Reader-Service Card

OTTO®

Micro Dispenser

Deposits .015" to .625" spheres

OTTO•DOT A4 dispenser applies single and pre-mixed dual component adhesives, epoxies, solder creams, silicones and other viscous materials in micro amounts from 2 cc to .03 μl on I.C. chips and other miniature electronic components. Manual or remote control via limit switches, photo electrics, etc. Full range of standard and special nozzles to suit your application are available. Complete standard unit, $350.00.

Write for full details and application aid. OTTO also produces a full range of Injectors, Shotmeters, and Mixer/dispensers.

OTTO engineering · inc.

36 Main St., Carpentersville, IL 60110 • 312/428-7171

Circle 69 on Reader-Service Card

PHILLIPS: WORLD LEADER IN ADVANCED PRECISION CLEANING EQUIPMENT

BATCH TYPE PRINTED CIRCUIT DEFLUXERS



HEAVY DUTY CONVEYORIZED DEGREASING SYSTEMS

ULTRASONIC CONSOLE CLEANERS FOR AQUEOUS DETERGENTS AND FREON® CLEANING AGENTS

FREON SOLVENT EQUIPMENT MANUFACTURER

PHILLIPS MANUFACTURING COMPANY
7334 N. CLARK ST. CHICAGO, ILLINOIS 60626
PHONE (312) 338-6200

Circle 1 on Reader-Service Card

Packaging Techniques

"A Guide to EMI Gasket Design," by J. Severinsen, Jan., p. 87.
"Acoustic Considerations in Forced-air Cooling," by G. M. Taylor and B. Csonka, Jan., p. 102.
"EMI Shielding of Plastic Housings," by P. J. LeBlanc and D. L. Reinhard, Feb., p. 95.
"Developing a Programmable Wiring Terminal," by M. J. Cronin, Feb., p. 71.
"Packaging Medical Electronics," by H. W. Markstein, Mar., p. 28.
"Bus Bars as Power Distribution Systems," by M. F. Iosue, April-Part II, p. 20.
"Innovations in Backpanel Packaging: An Overview," April-Part II, p. 34.
"Specifying Special IC Packages," by M. Riel and R. Chalman, May, p. 65.
"Packaging an Electronic Watch for Minimum Size and Cost," by J. R. Wood, June, p. 81.
"Heat Pipes: The Principles and Applications," by T. A. Hummel, July, p. 194.
"Circuit Components Versus Random Vibration," by D. S. Steinberg, July, p. 185.
"Packaging for Detrimental Environments," by H. W. Markstein, Aug., p. 26.
"A Computer-aided Thermal Analysis for Microcircuits," by T. Coats, Oct., p. 63.
"Packaging a Modern Medical Electronics System," by R. E. Pikul, Dec., p.45.

Printed Circuits

"PC Cleaning: Removing Ionic Contaminants," by H. F. Cole, April-Part I, p. 78.
"PC Profiling: A Choice of Methods," by R. Bronis, June, p. 44.
"Design Criteria for Printed Circuitry," by J. Wheeler, July, p. 29.
"Additive Printed Circuit Processes," by W. B. Tucker, July, p. 102.
"Recycling Saves Water in PC Board Fabrication," by T. Hoeschler, Oct., p. 115.
"PC Artwork: Manual or Automated," by S. Ruggio, Nov., p. G27.
"PC Processing Trends," by H. W. Markstein, Dec., p. 24.
"PC Drilling Machines," by S. Holyfield, Dec., p. 33.

HERM!
The only hermaphroditic self-polarizing connectors.

The interconnection company that innovates to serve you better.
BEAU
Beau Products Division
Vernitron
Electrical Components
P.O. Box 10, Laconia, N.H. 03246 / N.H. tel.: 524-5101
CALL TOLL FREE: (800)258-0370
Circle 7 on Reader-Service Card

YOU'VE GOT IT, WHEN YOU NEED IT, BECAUSE, WE'VE GOT MORE OF IT IN STOCK.

We list more wire wrapping bit and sleeve models in stock than anyone else.
- 48 qualified bits (18-32 AWG).
- 18 high quality metal sleeves.

We also offer a complete line of:
- Lightweight unwrapping tools.
- Handy-Wrap® special hand wrapping/unwrapping tool for field service work.
- Qualification test equipment.

And now our sustained sales volume, plus new production efficiencies, enable us to reduce prices.

Bits must still pass the same rigid qualification tests. So our quality remains high.

But now we offer more helpful lower prices to help you lower your costs.

For more information, write for our complete catalog of in-stock and special order models.

Ostby and Barton Company
487 Jefferson Boulevard, Warwick, Rhode Island 02886 (401) 739-7310 TELEX-927573
Circle 16 on Reader-Service Card

SAFE!
Pre-grounding plugs and sockets—only from Beau.

The interconnection company that innovates to serve you better.
BEAU
Beau Products Division
Vernitron
Electrical Components
P.O. Box 10, Laconia, N.H. 03246 / N.H. tel.: 524-5101
CALL TOLL FREE: (800)258-0370
Circle 151 on Reader-Service Card

low-cost
PRODUCTION STRIPPERS



Ideal has the answer for your production wire stripping needs. At a price that makes a power stripper affordable even for laboratory or limited use applications. Abrasive strippers. Thermal strippers. Bench-mounted strippers. Rotary strippers. And our Power Stripmaster® shown here. See your distributor or write:

IDEAL®

IDEAL INDUSTRIES, INC., 3077-L Becker Pl., Sycamore, Ill. 60178
In Canada: IDI ELECTRIC (Canada) LTD., Ontario

Circle 54 on Reader-Service Card

THE IDEAL WAY WITH WIRE



When you get down to the end of the wire, Ideal has the products you need. Cable ties, crimp terminals and splices, and wire markers. All from one source. And because that source is Ideal, you're assured that every product is the highest quality possible. See your distributor or write:

IDEAL®

IDEAL INDUSTRIES, INC., 3077-L Becker Pl., Sycamore, Ill. 60178
In Canada: IDI ELECTRIC (Canada) LTD., Ontario

Circle 55 on Reader-Service Card



INSERT MORE THAN 2,000 DIPS/HOUR* INTO PC BOARDS WITH AMISTARS *NEW* FAST CI-500

*SIDE BY SIDE LOADING RATE, WITH TAPE CONTROLLED SELECTION FROM TWELVE TUBES OF DIPS.
•$9,300.00

AMISTAR CORPORATION
2675 SKYPARK DRIVE, UNIT 203,
TORRANCE, CALIFORNIA 90505
(213) 539-1303

Circle 113 on Reader-Service Card

Production Techniques

"On the Selective Placement of Gold," by H. W. Markstein, Jan., p. 40.
"Delay-line Production Techniques," by S. Rittenburg, May, p. 120.
"Choosing a Transfer Molding Press," by W. W. Moyer, July, p. 54.
"Automatic Component Insertion Equipment: Justifying the Costs," by J. S. Hohl, July, p. 56.
"Artwork Generators," by D. O. Fisher, July, p. 58.
"UV Ink Curing Machines," by R. Nowlan, July, p. 60.
"Laminar-flow Enclosures," by B. Agnew, July, p. 101.
"New Developments in Coil Winding," by H. A. George, Sept., p. 61.
"Clinchless Component Assembly," by M. Heller, Nov., p. 49.
"Photoplotters for Artwork Generation," by J. Dorfman, Nov., p. G19.
"Interactive Graphics Design Systems for Electronics," by J. J. Staller, Nov., p. G4.

Soldering/ Welding/ Joining

"Backpanel Wire-wrapping," by D. Weltman, April-Part II, p. 9.
"Infrared Solder Fusion," by G. A. Gauvin, July, p. 52.
"Soldering with Active Organic-acid Flux," by R. L. Smith and R. D. Hewett, Nov., p. 57.

Testing/ Measurement/ QA

"Automatic Testing of Incoming Digital Devices," by E. G. Cromer, Feb., p. 33.
"Testing Pacemakers: No Field Rejects Allowed," by D. J. Levinthal, Mar., p. 42.
"Testing Microprocessor Chips: A Large-scale Challenge," by C. Chrones, April-Part I, p. 35.
"Screening and Procurement Problems of Hi-Rel IC's," by D. E. Lehtonen, May, p. 71.
"Testing Services for the Electronics Industry," by E. R. Hnatek, June, p. 55.
"Solderability Test Systems," by P. Bud, July, p. 80.

PULL!



The only barrier strips with non-twist, non-pull-out terminals.

The interconnection company that innovates to serve you better.

BEAU

Beau Products Division
Vernitron
Electrical Components

P.O. Box 10, Laconia, N.H. 03246 / N.H. tel. 524-5101
CALL TOLL FREE: (800)258-0370

Circle 152 on Reader-Service Card

If you are buying from Augat... SEE US



EXCEL

WE WILL SAVE YOU MONEY

Pluggable Boards · Pins · Sockets
Enclosures · Racks · Back Panels · DIPs
ALL COMPLETELY INTERCHANGEABLE WITH AUGAT'S

EXCEL PRODUCTS CO., Inc.
P.O. Box 168, 401 Joyce Kilmer Avenue, New Brunswick, New Jersey
DISTRIBUTORS
Components Center ☐ Schweber Electronics ☐ Diplomat-Southland
Southwest Electronics ☐ A.W. Mayer

Circle 32 on Reader-Service Card

FAST!

We're geared for special connectors— and react to your needs!

The interconnection company that innovates to serve you better.

BEAU

Beau Products Division
Vernitron
Electrical Components

P.O. Box 10, Laconia, N.H. 03246 / N.H. tel. 524-5101
CALL TOLL FREE: (800)258-0370

Circle 6 on Reader-Service Card

BE SURE YOU HAVE THE RIGHT CONNECTIONS

TEST THEM WITH AN

Automation Dynamics System

FROM 100 TERMINATIONS



. . . TO 10,000 TERMINATIONS

SOLID STATE OR RELAY SWITCHING?

We offer both types of switching systems and will help you choose whichever is best to meet your need.

A B C Digital Electronics, Inc.
26 Charles St., Westwood, N.J. 07675
201-666-2468

Circle 96 on Reader-Service Card

"PROM Programmers," by C. Cory III, July, p. 145.
"IC Testers, Digital Logic," by G. Griggs, July, p. 217.
"Semiconductor Memory Testers," by W. A. Hodge, July, p. 218.
"PC Card Testers, Analog Circuit," by W. A. Swope, July, p. 227.
"Backplane and Bare PC Board Testers," by R. L. Giusti, July, p. 228.
"Printed Circuit Board Testers, Digital Circuit," by K. Taschioglou, July, p. 230.
"Interpreting Test Equipment Specifications," by R. Sigsby, Aug., p. T4.
"Fault-isolation Techniques in Logic-board Testing," by R. Szpila, Aug., p. T13.
"The Economics of In-house Versus Outside Testing," by E. R. Hnatek, Aug., p. T29.
"New Light on Stereomicroscopy," by P. E. Nothangle, Sept., p. 68.
"A Minicomputer Simulator for Digital Logic Testing," by K. Siwek, Sept., p. 91.
"Interconnection Network Testing," by S. Holyfield, Oct., p. 36.
"EPIIC: Environmental Package Indicators for Integrated Circuits," by O. Edwards and N. Lycoudes, Oct., p. 103.

Wire/ Cable

"Cost Reduction Techniques in Wire Harnessing," by R. Bronis, May, p. 83.
"Interconnecting with Flexible Circuitry," by J. M. Rausch, May, p. 91.
"Flexible Printed Circuitry," by J. B. McKee, July, p. 117.
"Flex Cable vs. Conventional Wiring: A Cost Analysis," by M. J. LaTorre, Oct., p. 51.

Index of Authors

Agnew, B., July, p. 101.
Belland, R., Jan., P. 56.
Bersin, R. July, p. 153.
Bronis, R., Feb., p. 43; Mar., p. 60; May, p. 83; June, p. 44.
Bud, P., July, p. 80.
Bunshah, R. F., Oct., p. V3.
Chalman, R., May, p. 65.
Chrones, C., April-Part I, p. 35.
Class, W., Oct., p. V15.
Coats, T., Oct., p. 63.
Cole, H. F., April-Part I, p. 78.
Cory, C., III, July, p. 145.
Counts, W., Sept., p. 37.

P.C. JACKS, PINS & TERMINALS

STANDARDIZED/ CUSTOM



PRINTED CIRCUIT JACKS | PINS | SOLDER TERMINALS | TEFLON* TERMINALS

*Du Pont T.M.

FREE CATALOG AVAILABLE.

CONCORD ELECTRONICS CORPORATION

37 GREAT JONES STREET, N. Y. N. Y. 10012 (212) 777-6571 TWX 710-581-4930

Circle 117 on Reader-Service Card

NEW PANDUIT™
Pneumatic Cable Tie Installation Tool



Hand-operated PPTS air tool for fast, continuous, high-volume production ■ Lightweight tool requires minimum force, reduces fatigue ■ No training required ■ One tool installs all miniature, intermediate and standard cross-section PAN-TY® and STA-STRAP® cable tie products—36 different sizes, bundles to 4" dia. ■ Uses standard 70 to 80 lb. psi air to automatically tighten ties to pre-set tension and cut flush ■ No sharp edges; no metal barbs; no twisting.

Ask for free bulletin, demonstration, lease arrangements

PANDUIT CORP.
Tinley Park, Ill. 60477 Phone: (312) 532-1800
In Canada: Panduit (Canada) Limited

Circle 75 on Reader-Service Card



McLEAN RACK-MOUNTED PACKAGED COOLING

Airflows to 1000 CFM! QUIET! Pressurize consoles, computers, electronic systems with cool, filtered, unpolluted air. Dust free! EIA notching for quick mounting. No cutting or fitting needed. Over 100 models in any panel width. Heights from 3½" to 12¼". Stainless steel, or brushed aluminum grilles.

SEND FOR CATALOG

McLEAN ENGINEERING LABORATORIES
P.O. BOX 127E PRINCETON JUNCTION NEW JERSEY 08550
PHONE 609-799-0100 • TELEX 84-3422

Circle 68 on Reader-Service Card

CLIP/STRIP
NEW UNIVERSAL SOLDERLESS BUSSING SYSTEM

Unlike present bussing systems the new "Clip/Strip" design employs two discrete components; a buss strip made of relatively thick, high conductivity material and separate, individually installed spring clips, made from thin, high strength material and plated for high conductivity and low contact resistance.

- Greater current carrying capacity.
- Low profile design.
- No new tooling required for different spacing between contacts, therefore more economical.
- Easy repairability.

ELECTRONICS STAMPING CORPORATION
13629 ALMA AVENUE
GARDENA, CALIFORNIA 90249
(213) 532-7810
(213) 770-0341

Circle 47 on Reader-Service Card

Cromer, E. G., Feb., p. 33.
Cronin, M. J., Feb., p. 71.
Csonka, B., Jan., p. 102.
Davis, P. E., July, p. 86.
Diggins, B., July, p. 63.
Dorfman, J., Nov., p. G19.
Duffek, E. F., July, p. 86.
Duva, R., July, p. 82.
Edwards, O., Oct., p. 103.
Fefferman, G. B., June, p. 29.
Fisher, D. O., July, p. 58; Nov., p. G12.
Gauvin, G. A., July, p. 52.
Geckle, R. A., Sept., p. 61.
Giusti, R. L., July, p. 228.
Griggs, G., July, p. 217.
Halbert, J. B., July, p. 84.
Hale, G. J., May, p. 39.
Hammond, M. L., July, p. 139.
Harris, S., Feb., p. 50.
Heller, M., Nov., p. 49.
Hewett, R. D., Nov., p. 57.
Hnatek, E. R., June, p. 55; Aug., p. T29.
Hodge, W. A., July, p. 218.
Hoeschler, T., Oct., p. 115.
Hohl, J. S., July, p. 56.
Holyfield, S., Oct., p. 36; Dec., p. 33.
Hummel, T. A., July, p. 194.
Iosue, M. F., April-Part II, p. 20.
Iscoff, R., Aug., p. 109; Nov., p. 27.
LaTorre, M. J., Oct., p. 51.
Lawrence, J. E., July, p. 123.
LeBlanc, P. J., Feb., p. 95.
Lehtonen, D. E., May, p. 71.
Levinthal, D. J., Mar., p. 42.
Lycoudes, N., Oct., p. 103.
Manchester, K. E., July, p. 156.
Markstein, H. W., Jan., p. 40; Mar., p. 28; April-Part I, p. 23; May, p. 48; June, p. 39; Aug., p. 26; Sept., p. 29; Oct., p. 29; Nov., p. 39; Dec., p. 24.
McKee, J. B., July, p. 117.
Meyer, D. E., May, p. 29.
Moyer, W. W., July, p. 54.
Nothangle, P. E., Sept., p. 68.
Nowlan, R., July, p. 60.
Payne, E. A., July, p. 124.
Pcihoda, W. W., June, p. 74.
Pikul, R. E., Dec., p. 45.
Presley, T. J., Jan., p. 74.
Rausch, J. M., May, p. 91.
Reinhard, D. L., Feb., p. 95.
Riel, M., May, p. 65.
Rittenburg, S., May, p. 120.
Rothschild, B. F., Aug., p. 102.
Ruggio, S., Nov., p. G27.
Ryding, G., Mar., p. 67.
Salzer, J.M., Dec., p. 61.
Severinsen, J., Jan., p. 87.
Sigsby, R., Aug., p. T4.
Sinha, A. K., Oct., p. V10.
Siwek, K., Sept., p. 91.
Smith, R. L., Nov., p. 57.
Staller, J. J., Nov., p. G4.
Steinberg, D. S., July, p. 185.
Swope, W. A., July, p. 227.
Szpila, R., Aug., p. T13.
Taschinoglou, K., July, p. 230.
Taylor, G. M., Jan., p. 102.
Tucker, W. B., July, p. 102.
Vitriol, W., Sept., p. 37.
Wagner, D., Feb., p. 50.
Wakefield, R., July, p. 169.
Walker, A. E., Jr., June, p. 74.
Weltman, D., April-Part II, p. 9.
Wheeler, J., July, p. 29.
White, G. W., May, p. 29.
Wood, J. R., June, p. 81.


CIRCUIT BOARD BUS
When used with a two sided board these edge and flat mounted busses replace more expensive multi-layer boards. Low inductance and high distributed capacitance offer low impedance power or signal distribution. Also available as a bus under rows of ICs.
Send for Bussco's latest catalog and engineering data.
BUSSCO ENGINEERING INC.
119 Standard Street
El Segundo, CA 90245
(213) 322-6580 TWX 910-348-6295

Circle 125 on Reader-Service Card